Filename: WFWQC Bibliography for Pamphlet Version 1.3

Date: June 7, 2023

Edited by: OreoHelix Ecological, Vineyard, UT

WFWQC Utah Lake Research Reports

The following is a select bibliography of WFWQC reports/publications that support our understanding of the Utah Lake ecosystem.

Abu-Hmeidan HY, Williams GP, Miller AW. Characterizing Total Phosphorus in Current and Geologic Utah Lake Sediments: Implications for Water Quality Management Issues. *Hydrology.* 2018; 5(1):008. https://doi.org/10.3390/hydrology5010008

Barrus SM, Williams GP, Miller AW, Borup MB, Merritt LB, Richards DC, Miller TG. Nutrient Atmospheric Deposition on Utah Lake: A Comparison of Sampling and Analytical Methods. *Hydrology.* 2021; 8(3):123. https://doi.org/10.3390/hydrology8030123

Olsen JM, Williams GP, Miller AW, Merrit L. Measuring and Calculating Current Atmospheric Phosphorus and Nitrogen Loadings to Utah Lake Using Field Samples and Geostatistical Analysis. *Hydrology.* 2018; 5(3):045. https://doi.org/10.3390/hydrology5030045

Richards, D.C. et al. 2023. Utah Lake Limnocorral Study: Progress Report 2022. Chapter 2: Ecological Investigations. Report to Timpanogos Special Service District. Pleasant Grove, UT. https://www.researchgate.net/publication/369030319_TSSD_Limnocorral_Ecological_Study_Progress_Final_Report_2022_version_12.

Richards, D.C. 2022a. The health and integrity of Utah Lake 2022: A brief ecological evaluation. Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Ecological, Vineyard UT.

Richards, D.C. 2022b. Development of a Mass Balance Foodweb Model for Utah Lake. Proof-of-Concept. Draft using preliminary data. Submitted to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. 2022c. "Midges and Worms, Midges and Worms" Life in Eternal Darkness: Utah Lake Water Quality Rates 'Very Poor' based on a Widely used Biotic Index. Technical Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. 2022d. Gremlins vs. Billion Dollar Low Hanging Fruit. Utah Lake Phosphorus Realities. Technical Opinion. Submitted to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. 2022e. Utah Lake fish assemblage life history. Prerequisite for food web models. Draft report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. 2022f. Chlorophyll *a* trends in Utah Lake from 1989 to 2019. Technical Memo to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. 2022g. Cyanobacteria trends in Utah Lake from 1995 – 2018. Technical Memo to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. 2022h. Plankton biomass, diets, production-biomass ratios, and ecotrophic efficiency estimates for Utah Lake foodweb model development: Is it raining algae on the benthos in the summer? Submitted to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, David, C. and Blake Wellard. 2022. *Macrophyte Restoration Utah Lake: A Success Story. Technical Memo*. Prepared by OreoHelix Ecological for the Timpanogos Special Sewer District, April 19, 2022.

Richards, David C., Marshall, Brett, Rushforth, Sam, Rushforth, Sarah, and Blake Wellard. 2021. *TSSD Limnocorral Ecological Study: Progress Report 2021*. Prepared by OreoHelix Ecological for the Timpanogos Special Sewer District, December 31, 2021.

Richards et al. 2021. Ecology and Food Web Dynamics of an Effluent Dominated Sheetflow Wetland, Great Salt Lake, UT. Research Progress Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. 2021. Seasonal patterns of phytoplankton assemblage densities and functional traits in Utah Lake: A foodweb model prerequisite. Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Ecological, Vineyard, UT.

Richards, D. C. and T. Miller. 2019a. Utah Lake Research 2017-2018: Progress Report: Continued analysis of Utah Lake's unique foodweb with a focus on the role of nutrients, phytoplankton, zooplankton, and benthic invertebrates on cyanoHABs. Chapter 1: Phytoplankton Assemblages. Submitted to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D. C. and T. Miller. 2019b. A Provisional Multi-Metric Index of Biological Integrity (MIBI) to Assess Water Quality in Utah Lake centered on Regulatory Directives. Draft Technical Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Ecological, Vineyard, UT.

Richards, D. C. and T. Miller. 2019c. Apparent extinction of native mussels in Lower Mill Creek and Mid-Jordan River, Utah. Western North American Naturalist. 79(1): 72-84.

Richards, D.C. 2019d. Zooplankton assemblages in highly regulated Utah Lake: 2015-2018. Progress Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. 2019e. Spatial and Temporal Variability of Zooplankton Body Lengths in Utah Lake. Technical Memo to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. 2019f. Spatial and Temporal Variability in Zooplankton Assemblages in Utah Lake 2015 to 2019. Progress Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Richards, D.C. et al. 2019g. Factors Effecting the Ecological Health and Integrity of Utah Lake with a Focus on the Relationships between Water Column Regulators, Benthic Ecosystem Engineers, and CyanoHABs. Progress Report 2020. Version 2.3. Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Ecological, Vineyard, UT.

Richards, D. C. 2018. Relationships between Phytoplankton Richness and Diversity, Zooplankton Abundance, and cyanoHAB Dominance in Utah Lake, 2016. Draft Technical Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting. 67pp.

Richards, D. C. 2017a. Native Unionoida Surveys, Distribution, and Metapopulation Dynamics in the Jordan River-Utah Lake Drainage, UT. Report to Wasatch Front Water Quality Council. Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT. Version 1.5 May, 26, 2017.

Richards, D. C. and T. Miller. 2017b. A preliminary analysis of Utah Lake's unique foodweb with a focus on the role of nutrients, phytoplankton, zooplankton, and benthic invertebrates on HABs. Utah Lake Research 2016. Progress Report. Wasatch Front Water Quality Council, Salt Lake City, UT.

Richards, D.C. 2014. Freshwater mollusk survey, Jordan River, UT. Part 1: Unionid mussels and non-pulmonate snails. Final Report to Wasatch Front Water Quality Council, Salt Lake City, UT. OreoHelix Consulting, Vineyard, UT.

Support Bibliography for WFWQC Pamphlet Six Restoration Goals

1.Sediment Stabilization

Adams MP, Hovey RK, Hipsey MR, Bruce LC, Ghisalberti M, Lowe RJ, et al. (2016) Feedback between sediment and light for seagrass: where is it important? Limnology and Oceanography 61:1937–1955

Bastiaan G. van Zuidam, Elisabeth S. Bakker, Gerben J. van Geest, Edwin T.H.M. Peeters. Submerged vegetation colonizes behind artificial wave shelter after a 10-year time-lag and persists under high grazing pressure by waterbirds, Aquatic Botany,Volume 181, 2022, 103541, ISSN 0304-3770.

Blottière, L., M. Jaffar-Bandjee, S. Jacquet, A. Millot, and F. D. Hulot. 2017. Effects of mixing on the pelagic food web in shallow lakes. Freshwater Biology 62:161–177.

Carr JA, D'Odorico P, McGlathery KJ, Wiberg PL (2016) Spatially explicit feedbacks between seagrass meadow structure, sediment and light: habitat suitability for seagrass growth. Advances in Water Resources 93:315–325

Chen, C., Kong, M., Wang, YY. *et al.* Dredging method effects on sediment resuspension and nutrient release across the sediment-water interface in Lake Taihu, China. *Environ Sci Pollut Res* **27**, 25861–25869 (2020). https://doi.org/10.1007/s11356-019-06192-w

De Coursey P J, Vernberg W B, 1975. The effect of dredging in a polluted estuary on the physiology of larval zooplankton. Water Research, 9(2): 149–154.

Ding, Y., B. Qin, J. Deng, and J. Ma. 2017. Effects of episodic sediment resuspension on phytoplankton in Lake Taihu: focusing on photosynthesis, biomass and community composition. Aquatic Sciences 79:617–629.

Dodds, W. K. 2003. The role of periphyton in phosphorus retention in shallow freshwater aquatic systems. Journal of Phycology 39:840–849.

Droppo I.G., Ross N., Skafel M. & Liss S.N. 2007. Biostabilisation of cohesive sediment beds in a freshwater wave-dominated environment. Limnology and Oceanography 52: 577–589.

Hansson, L-A., Helene Annadotter, Eva Bergman, Stellan F. Hamrin, Erik Jeppesen, Timo Kairesalo, Eira Luokkanen, Per-Ake Nilsson, Martin Sondergaard, and John Strand. 1998. Biomanipulation as an Application of Food-Chain Theory: Constraints, Synthesis, and Recommendations for Temperate Lakes. Ecosystems, Vol. 1, No. 6 (Nov. - Dec. 1998), pp. 558-574. Published by: Springer. Stable URL: http://www.jstor.org/stable/3658756.

Hansson, L.-A., M. K. Ekvall, L. He, Z. Li, M. Svensson, P. Urrutia-Cordero, and H. Zhang. 2020. Different climate scenarios alter dominance patterns among aquatic primary producers in temperate systems. Limnology and Oceanography 65:2328–2336.

Hupfer, M. and S. Hilt. 2008. Lake Restoration. Editor(s): Sven Erik Jørgensen, Brian D. Fath. Encyclopedia of Ecology. Academic Press.

Ibelings, B.W., Portielje, R., Lammens, E.H.R.R. et al. Resilience of Alternative Stable States during the Recovery of Shallow Lakes from Eutrophication: Lake Veluwe as a Case Study. Ecosystems 10, 4–16 (2007). https://doi.org/10.1007/s10021-006-9009-4.

Jeppesen, E., M. Søndergaard, H.S. Jensen, A.-M. Ventäla. 2009. Lake and Reservoir Management. Editor(s): Gene E. Likens. Encyclopedia of Inland Waters, Academic Press.

Jin, H., C. H.A. van Leeuwen, D.B. Van de Waal, E.S. Bakker. 2021. Impacts of sediment resuspension on phytoplankton biomass production and trophic transfer: implications for shallow lake restoration. Chapter 3: Hui Jin editors. Restoring aquatic food webs bottom-up: Improving trophic transfer through lake restoration project Marker Wadden. PhD thesis, Wageningen University, Wageningen, the Netherlands. 244 pages. ISBN 978-94-6395-928-5. DOI https://doi.org/10.18174/555439.

Kantoush, S. A., et al. 2021. "Pilot Field Implementation of Suction Dredging for Sustainable Sediment Management of Dam Reservoirs." Journal of Hydraulic Engineering 147(2): 04020098.

Lewis M A, Weber D E, Stanley R S, Moore J C, 2001. Dredging impact on an urbanized Florida bayou: Effects on benthos and algal-periphyton. Environmental Pollution, 115(2): 161–171.

Lohrer A M, Wetz J J, 2003. Dredging-induced nutrient release from sediments to the water column in a southeastern saltmarsh tidal creek. Marine Pollution Bulletin, 46(9): 1156–1163.

Nayar S, Goh B P L, Chou L M, 2004. Environmental impact of heavy metals from dredged and resuspended sediments on phytoplankton and bacteria assessed in in situ mesocosms. Ecotoxicology and Environmental Safety, 59(3): 349–369.

Pécseli, H. L., J. K. Trulsen, and Ø. Fiksen. 2014. Predator–prey encounter and capture rates in turbulent environments. Limnology and Oceanography: Fluids and Environments 4:85–105.

Sand-Jensen, K., and J. Borum. 1991. Interactions among phytoplankton, periphyton, and macrophytes in temperate freshwaters and estuaries. Ecology of Submersed Aquatic Macrophytes 41:137–175.

Spears B.M., Funnell J., Saunders J. & PATERSON D.M. 2007. On the boundaries: sediment stability measurements across aquatic ecosystems. In: Sediment dynamics and pollutant mobility in rivers: An interdisciplinary approach (Ed. by B. Westrich & U. Fostner), pp. 68–78. Springer, Germany.

Spears, B. M., L. Carvalho, R. Perkins, and D. M. Paterson. 2008. Effects of light on sediment nutrient flux and water column nutrient stoichiometry in a shallow lake. Water Research 42:977–986.

Tammeorg, O., J. Niemistö, T. Möls, R. Laugaste, K. Panksep, and K. Kangur. 2013.Wind-induced sediment resuspension as a potential factor sustaining eutrophication in large and shallow Lake Peipsi. Aquatic Sciences 75:559–570.

Tang, C., Y. Li, C. He, and K. Acharya. 2020. Dynamic behavior of sediment resuspension and nutrients release in the shallow and wind-exposed Meiliang Bay of Lake Taihu. Science of The Total Environment 708:135131.

Vadeboncoeur, Y. and A.D. Steinman. 2002. Periphyton function in lake ecosystems. Review Article. The Scientific World Journal. (2): 1449-1468. ISSN 1537-744X; DOI 10.1100/tsw.2002.294

Vadeboncoeur, Y. et al., 2003. From Greenland to green lakes: Cultural eutrophication and the loss of benthic pathways in lakes. Limnol. Oceanogr. 48(4): 1408-1418.

Vadeboncoeur, Y. M. Vander Zanden, and D. M. Lodge. 2002. Putting the lake back together: Reintegrating benthic pathways into lake food web models. Bioscience 52 (1): 44-54.

Vadeboncoeur, Y., Peterson, G, Vander Zanden, J., and J. Kalff. 2008. Benthic algal production across lake size gradients: interactions among morphometry, nutrients, and light. Ecology 89(9): 2542-2552

Velasco J., Millan A., Vidal-Abarca M.R., Suarez M.L., Guerrero C. & Ortega M. 2003. Macrophytic, eipipelic, and epilithic primary production in a semiarid Mediterranean stream. Freshwater Biology 48: 1408–1420.

Wang X Y, Feng J, Li H, 2005. Research on variety of plankton community prior and post sediment dredging in Nanhu Lake, Changchun. Journal of Northeast Normal University,

Wilcox M, Kelly S, Jeffs A (2020) Patterns of settlement within a restored mussel bed site. Restoration Ecology 28:337–346.

Zhiying, WU & Zuoming, YU & Haiyan, SHENG & Jun, XU & Yicai, HAN & Yuntai, XU & Ning, FENG. (2008). Ecological effects of the dredging in the West Lake, Hangzhou. Journal of Lake Sciences. 20. 10.18307/2008.0303.Zhong J C, Fan C X, 2007. Advance in the study on the effectiveness and environmental impact of sediment dredging. Journal of Lake Sciences, 19(1): 1–10.

Zhou, J., X. Han, B. Qin, C. Casenave, and G. Yang. 2016. Response of zooplankton community to turbulence in large, shallow Lake Taihu: a mesocosm experiment. Fundamental and Applied Limnology / Archiv für Hydrobiologie 87 (03/01 2016). https://doi.org/10.1127/fal/2016/0797.

2.Increased Light Depth

Adams MP, Hovey RK, Hipsey MR, Bruce LC, Ghisalberti M, Lowe RJ, et al. (2016) Feedback between sediment and light for seagrass: where is it important? Limnology and Oceanography 61:1937–1955.

Carlton, R. G., and R. G. Wetzel. 1988. Phosphorus flux from lake sediments: Effect of epipelic algal oxygen production. Limnology and Oceanography 33:562– 570.

Edwards, K. F., M. K. Thomas, C. A. Klausmeier, and E. Litchman. 2016. Phytoplankton growth and the interaction of light and temperature: A synthesis at the species and community level. Limnology and Oceanography. 61:1232–1244.

Kirk, J.T. 2011. Light and photosynthesis in aquatic ecosystems. Third edition. Cambridge University Press.

Quinlan, R., A. Filazzola, O. Mahdiyan, A. Shuvo, K. Blagrave, C. Ewins, L. Moslenko, D. K. Gray, C. M. O'Reilly, and S. Sharma. 2021. Relationships of total phosphorus and chlorophyll in lakes worldwide. Limnology and Oceanography 66:392–404.

Scheffer, M. 2004. Ecology of Shallow Lakes. Kluwer Academics Publishers. ISBN 978-1-4020-2306-4. ISBN 978-1-4020-3154-0 (eBook). DOI 10.1007/978-1-4020-3154-0

Scheffer, M. and E. Jeppesen, 1998. Alternative stable states in shallow lakes. In Jeppesen, E., M. Søndergaard, M. Søndergaard and K. Cristoffersen (eds.), The structuring role of submerged macrophytes in lakes. Springer Verlag: 397-407. 423 pp.

Scheffer, M., Carpenter, S., Foley, J. et al. Catastrophic shifts in ecosystems. Nature 413, 591–596 (2001). https://doi.org/10.1038/35098000.

Spears, B. M., L. Carvalho, R. Perkins, and D. M. Paterson. 2008. Effects of light on sediment nutrient flux and water column nutrient stoichiometry in a shallow lake. Water Research 42:977–986.

Tammeorg, O., J. Niemistö, T. Möls, R. Laugaste, K. Panksep, and K. Kangur. 2013.Wind-induced sediment resuspension as a potential factor sustainingeutrophication in large and shallow Lake Peipsi. Aquatic Sciences 75:559–570.

Tang, C., Y. Li, C. He, and K. Acharya. 2020. Dynamic behavior of sediment resuspension and nutrients release in the shallow and wind-exposed Meiliang Bay of Lake Taihu. Science of The Total Environment 708:135131.

Trochine, Carolina & Risholt, Casper & Schou, Majbritt & Lauridsen, Torben & Jacobsen, Lene & Skov, C. & Søndergaard, Martin & Berg, Søren & Christoffersen, Kirsten & Jeppesen, Erik. 2022. Diet and food selection by fish larvae in turbid and clear water shallow temperate lakes.

Zhang, X., Z. Liu, E. Jeppesen, and W. D. Taylor. 2014. Effects of deposit-feeding tubificid worms and filter-feeding bivalves on benthic-pelagic coupling: Implications for the restoration of eutrophic shallow lakes. Water Research 50:135–146.

Zhang, S., Q. Yi, S. Buyang, H. Cui, and S. Zhang. 2020. Enrichment of bioavailable phosphorus in fine particles when sediment resuspension hinders the ecological restoration of shallow eutrophic lakes. Science of The Total Environment 710:135672.

3.Significant Increased Carp Reduction

Miller, S. A., and T. A. Crowl. 2006. Effects of common carp (*Cyprinus carpio*) on macrophytes and invertebrate communities in a shallow lake. Freshwat. Biol., 51: 85–94.

Parkos, J.J. III, Santucci, V.J. Jr, and Wahl, D.W. 2003. Effects of adult common Carp (Cyprinus carpio) on multiple trophic levels in shallow mesocosms. Canadian Journal of Fisheries and Aquatic Sciences 60, 182–192.

4.Restoration of Native Aquatic Plants and Mollusks

Bastiaan G. van Zuidam, Elisabeth S. Bakker, Gerben J. van Geest, Edwin T.H.M. Peeters. Submerged vegetation colonizes behind artificial wave shelter after a 10-year time-lag and persists under high grazing pressure by waterbirds, Aquatic Botany,Volume 181, 2022, 103541, ISSN 0304-3770.

Fonseca MS, Cahalan JA (1992) A preliminary evaluation of wave attenuation by four species of seagrass. Estuarine, Coastal and Shelf Science 35:565–576.

Fourqurean JW, Duarte CM, Kennedy H, Marb, N, Holmer M, Mateo MA, et al. 2012. Seagrass ecosystems as a globally significant carbon stock. Nature Geoscience 5:505–509.

Gagnon, K. et al. 2021. Incorporating facilitative interactions into small-scale eelgrass restoration—challenges and opportunities. Restoration Ecology. Setbacks and Surprises. 29(5):e13398.

Halpern, B. S., Silliman, B. R., Olden, J. D., Bruno, J. P., and Bertness, M. D. (2007). Incorporating positive interactions in aquatic restoration and conservation. Front. Ecol. Environ. 5, 153–160. doi: 10.1890/1540-9295(2007)5[153: IPIIAR]2. 0.CO;2.

Hyman AC, Frazer TK, Jacoby CA, Frost JR, Kowalewski M. 2019. Long-term persistence of structured habitats: seagrass meadows as enduring hotspots of biodiversity and faunal stability. Proceedings of the Royal Society B: Biological Sciences 286:20191861.

Ibelings, B.W., Portielje, R., Lammens, E.H.R.R. et al. Resilience of Alternative Stable States during the Recovery of Shallow Lakes from Eutrophication: Lake Veluwe as a Case Study. Ecosystems 10, 4–16 (2007). https://doi.org/10.1007/s10021-006-9009-4.

Jin, H. 2021. Restoring aquatic food webs bottom-up: Improving trophic transfer through lake restoration project Marker Wadden. PhD thesis, Wageningen University, Wageningen, the Netherlands. 244 pages. ISBN 978-94-6395-928-5. DOI https://doi.org/10.18174/555439.

Kufel, Lech, Andrzej Prejs, and Jan Igor Rybak. 1997. *Shallow Lakes '95: Trophic Cascades in Shallow Freshwater and Brackish Lakes*. Dordrecht: Springer Netherlands. https://doi.org/10.1007/978-94-011-5648-6.

Nordlund LM, Koch EW, Barbier EB, Creed JC. 2016. Seagrass ecosystem services and their variability across genera and geographical regions. PLoS One 11:e0163091

Reusch TBH, Chapman ARO (1995) Storm effects on eelgrass (Zostera marina L.) and blue mussel (Mytilus edulis L.) beds. Journal of Experimental Marine Biology and Ecology 192:257–271.

Reusch, T.B.H. 1998. Differing effects of eelgrass Zostera marina on recruitment and growth of associated blue mussels Mytilus edulis. Marine Ecology Progress Series 167:149–153.

Rohr, M.E, Holmer M, Baum JK, Bjork M, Chin D, Chalifour L, et al. .2018. Blue carbon storage capacity of temperate eelgrass (Zostera marina) meadows. Global Biogeochemical Cycles 32:1457–1475

van der Zee, E.M., van der Heide T, Donadi S, Ekl f JS, Eriksson BK, Olff H, van der Veer HW, Piersma T. 2012. Spatially extended habitat modification by intertidal reef-building bivalves has implications for consumer-resource interactions. Ecosystems 15:664–673.

Vinther, H.F. and M. Holmer. 2008. Experimental test of biodeposition and ammonium excretion from blue mussels (Mytilus edulis) on eelgrass (Zostera marina) performance. Journal of Experimental Marine Biology and Ecology 364: 72–79.

Worm B, and T.B.H Reusch. 2000. Do nutrient availability and plant density limit seagrass colonization in the Baltic Sea? Marine Ecology Progress Series 200: 159–166.

Wu, J. & ZM, Yu. (2001). The succession of phytoplankton and the ecological effects of eutrophication control measures in Hangzhou West Lake. Zhongguo Huanjing Kexue/China Environmental Science. 21. 540-544.

Ysebaert T, Walles B, Haner J, Hancock B. 2019. Habitat modification and coastal protection by ecosystem-engineering reef-building bivalves. Pages 253–273.In: Smaal AC, Ferreira JG, Grant J, Petersen JK, Strand (eds) Goods and services of marine bivalves. Springer International Publishing, Cham, Switzerland.

Hupfer, M. and S. Hilt. 2008. Lake Restoration. Editor(s): Sven Erik Jørgensen, Brian D. Fath. Encyclopedia of Ecology. Academic Press.

5.Balanced Fishery

Brett, M.T, Goldman CR. A meta-analysis of the freshwater trophic cascade Proc. Natl. Acad. Sci. USA. Vol. 93, pp. 7723–7726, July 1996 Ecology.

Britton, J. R., R. R. Boar, J. Grey, J. Foster, J. Lugonzo & D. M. Harper. 2007. From introduction to fishery dominance: the initial im-pacts of the invasive carp Cyprinus carpio in Lake Naivasha, Kenya, 1999 to 2006. Journal of Fish Biology, 71: 239–257.

Carpenter, S.R. and J.F. Kitchell, 1996. The trophic cascade in lakes. Cambridge University Press, Cambridge, 399 pp.

Carpenter, S.R., Kitchell, J.F., Hodgson, J.R., 1985. Cascading trophic interactions and lake productivity. Bioscience 35, 634–639.

Gulati, R.D. 1978. Vertical changes in the filtering, feeding and assimilation rates of dominant zooplanktors in a stratified lake. Verhandlungen der Internationale Vereinigung für Theorestische und Angewandte Limnologie, 20, 950-956.

Hansson, L.-A., M. K. Ekvall, L. He, Z. Li, M. Svensson, P. Urrutia-Cordero, and H. Zhang. 2020. Different climate scenarios alter dominance patterns among aquatic primary producers in temperate systems. Limnology and Oceanography 65:2328–2336.

Hansson, L-A., Helene Annadotter, Eva Bergman, Stellan F. Hamrin, Erik Jeppesen, Timo Kairesalo, Eira Luokkanen, Per-Ake Nilsson, Martin Sondergaard, and John Strand. 1998. Biomanipulation as an Application of Food-Chain Theory: Constraints, Synthesis, and Recommendations for Temperate Lakes. Ecosystems, Vol. 1, No. 6 (Nov. - Dec. 1998), pp. 558-574. Published by: Springer. Stable URL: http://www.jstor.org/stable/3658756.

Hupfer, M. and S. Hilt. 2008. Lake Restoration. Editor(s): Sven Erik Jørgensen, Brian D. Fath. Encyclopedia of Ecology. Academic Press.

Khan, T. A., M. E. Wilson, and M. I. Khan. 2003. Evidence for invasive common carp mediated trophic cascade in shallow lakes of western Victoria, Australia. Hydrobiologia, 506: 465–472.

Kufel, Lech, Andrzej Prejs, and Jan Igor Rybak. 1997. *Shallow Lakes '95: Trophic Cascades in Shallow Freshwater and Brackish Lakes*. Dordrecht: Springer Netherlands. https://doi.org/10.1007/978-94-011-5648-6.

Landom, K.L. 2010. Introduced Sport Fish and Fish Conservation in a Novel Food Web: Evidence of Predatory Impact. M.S. Thesis. Utah State University, Logan, UT.

Landom, K. and T. E. Walsworth. 2021. Utah Lake ecosystem monitoring to support June sucker conservation efforts. Annual report submitted to the June Sucker Recovery Implementation Program. Ecology Center and Watershed Sciences Department. Utah State University. Logan, Utah

Meijer, M.L., de Haan, M.W., Breukelaar, A.W. and Buiteveld, H. (1990) Is reduction of the benthivorous fish an important cause of high transparency following biomanipulation in shallow lakes? Hydrobiologia 200/201: 303–315.

Miller, S. A., and T. A. Crowl. 2006. Effects of common carp (*Cyprinus carpio*) on macrophytes and invertebrate communities in a shallow lake. Freshwat. Biol., 51: 85–94.

Søndergaard M, Jeppesen E, Lauridsen T L, Skov C, Van Nes E H, Roijackers R et al., 2007. Lake restoration: Successes, failures, and long-term effects. Journal of Applied Ecology, 44(6): 1095–1105.

Walsworth, T. E., and K. Landom. 2021. Common carp population response to ongoing control efforts in Utah Lake. Annual Report to the June Sucker Recovery Implementation Program. Department of Watershed Sciences and The Ecology Center, Utah State University, Logan, UT.

Walsworth, T., K. Landom, and J. Gaeta. 2020. Compensatory recruitment, dynamic habitat, and selective gear present challenges to large-scale invasive species control. Ecosphere 11: e03158.

Walsworth, T.E., E. Wallace, and K. Landom. 2022. Common carp population response to ongoing control efforts in Utah Lake. DRAFT Annual report submitted to the June Sucker Recovery Implementation Program Project I.21.03 Carp population modeling. Department of Watershed Sciences, The Ecology Center, Utah State University Logan, UT 84322.

Williams, A.E., Moss, B. and Eaton, J. 2002. Fish induced macrophyte loss in shallow lakes: top-down and bottom-up processes in mesocosm experiments. Freshwater Biology 47, 2216–2232.

6.Nutrient Reduction

Hogsett, M. and R. Goel. 2013. Determination of nutrient fluxes and sediment oxygen demand at selected locations in Utah Lake. Draft Report. Utah Division of Environmental Quality. Division of Water Quality, UT.

Hogsett, M., Hanyan, L. and R. Goel. 2019. The role of internal nutrient cycling in a freshwater shallow alkaline lake. Environmental Engineering Science. 36(5): https://doi.org/10.1089/ees.2018.0422.

Scheffer, M. 2004. Ecology of Shallow Lakes. Kluwer Academics Publishers. ISBN 978-1-4020-2306-4. ISBN 978-1-4020-3154-0 (eBook). DOI 10.1007/978-1-4020-3154-0

Scheffer, M. and E. Jeppesen, 1998. Alternative stable states in shallow lakes. In Jeppesen, E., M. Søndergaard, M. Søndergaard and K. Cristoffersen (eds.), The structuring role of submerged macrophytes in lakes. Springer Verlag: 397-407. 423 pp.

Scheffer, M., Carpenter, S., Foley, J. et al. Catastrophic shifts in ecosystems. Nature 413, 591–596 (2001). https://doi.org/10.1038/35098000.

Worm B, and T.B.H Reusch. 2000. Do nutrient availability and plant density limit seagrass colonization in the Baltic Sea? Marine Ecology Progress Series 200: 159–166.